



Day and night performance

HIKMICRO Cheetah Digital Night Vision Monocular can be easily transformed into a scope and performs well under any lighting condition. Its advanced 2560 x 1440 HD sensor and 1920 x 1080 OLED display are capable of capturing every object in great detail and with rich clarity.

MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
C32FSL KIT	400m	8.1° × 6.1°	2.7x-21.6	2560 × 1440. 850nm	\$1,499
C32FS KIT	400111	0.1 × 0.1	2./X-21.0	2500 × 1440, 65011111	\$1,099

*fixed at base magnification in clip-on mode ** Ballistic Calculator features on all LRF Models



Powerful & Robust

The HIKMICRO M15 wildlife camera is a powerful and robust 4G-equipped camera ideal for wildlife observation and is an extremely useful device for hunting and a variety of other outdoor activities.

	1	

AMERA	MODEL	RANGE	FEATURE	SENSOR	RRP
	M15+SD	25m Identification Range	.5 Second Trigger Speed	1080P 940nm	\$349
	SP5000	SOLAR PANEL - Powerbank			\$179
Q	Bundle	M15+SD+SP5000			\$499



Ultimate in Portability

Thermal Camera for Android Smartphone, the E20PLUS is designed for consumer applications for outdoor activities such as bird watching, hiking, camping, sports &

MODEL	RANGE FOV	MAGNIFICATION	SENSOR	RRP
E20	970m 18.1° × 13.6°	1-2	256 × 192, 12µm NETD < 50mK	\$599

THE ULTIMATE IN THERMAL AND NIGHT VISION SOLUTIONS

Au Office Email

australia@huntsmanoptics.com orders@huntsmanoptics.com

> **Au Office Number** 02 4014 8200







HIKMICRO

See the World in a New Way















Traditional tube with powerful performance.

The Stellar 3.0 Thermal Scopes feature high-resolution detectors (up to 1280 × 1024), 2560 × 2560 OLED displays, and NETD<15 mK sensitivity. With up to 3100 m detection range, built-in laser rangefinder, ballistic calculation, and 10-hour battery life, they offer precision and reliability for field and forest hunting.



	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
3.0	SX60L 3.0	3100m	14.6° × 11.7°	2.5-28.5	1280 × 1024, 12 µm NETD < 18mK	\$9,999
ń Y	SQ50L 3.0	2600m	8.8° × 7°	3.6-26.6	640 × 512, 12 µm	\$6,499
I A	SQ35L 3.0	1800m	12.5°×10°	2.5-24.5	NETD < 15mK	\$5,799
2	SH50L 3.0	2600m	5.3° × 4°	6-24		\$4,799
07	SH35L 3.0	1800m	7.5°× 5.7°	4.2-24.2	384 × 288, 12 μm NETD < 15mK	\$3,999
	SH35 3.0	1000(11	7.5 \ 5.7	7.2 24.2		\$3,499



THERMAL MONOCULAR



Remarkable image quality

This compact spotter is equipped with a powerful, high-sensitivity NETD<15 mK thermal detector, which captures exceptionally fine detail. The result is a vivid, layered image, which doesn't just make it easy to spot and identify target quarry but also gives a very clear view of the surrounding landscape.

MODEL	RANGE	FOV	MAG	SENSOR	RRP
CQ50L 2.0	2600m	8.7° × 7°	2.7 - 21.6	640 × 512, 12 µm	\$4,699
CQ35L 2.0	1800m	12.5° × 10°	1.9 - 15.2	NETD < 15mK	\$4,099
CH35L	1800m	7.5° × 5.6°	3.5 - 28	384 × 288, 12 µm	\$2,999
CH25L	1200m	10.5° × 7.9°	2.5 - 20	NETD < 20mK	\$2,699





*All Habrok range also available in a 940nm option

Enhanced Resolution

The Habrok Pro & 4K models combine thermal and digital optical channels, enhancing outdoor experiences. Compact like traditional binoculars but packed with advanced tech. Detect in thermal, view in optical, and record to built-in memory.

	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
8 4K	HX60L 4K	3100m/400m	D 7.3° × 4.1° T 14.6° × 8.8°	D 5.5-22 T 2.6-20	1280 × 1024, 12µm NETD < 18mK	\$9,999
PRO	HQ50L 4K	2600m/400m	D 7.3° × 4.1° T 8.8° × 5.3°	D 5.5-22 T 4.3-20	640 × 512, 12µm NETD < 15mK	\$6,499
BROK	HQ35L 4K	1800m/400m	D 7.3° × 4.1° T 12.5° × 10.1°	D 5.5-22 T 3-22	640 × 512, 12 µm NETD < 20mK	\$5,799
A	HE25L 4K	1200m/400m	D 6.9° × 4.1° TI7° × 5.3°	D 5.5-22	256 x 192, 12µm NETD < 35mK	\$2,499

Lightweight & Compact

Compact and light with a very comfortable and robust feel to it, the LYNX Monocular has the ultimate thermal performance housed in a small package. With advanced engineering, the refresh rate is smooth and fast - eliminating the need for recalibration as you scan your hunting zone.

	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
	LH35 3.0	1800m	7.5° × 4.6°	3.4-27.2		\$2,399
0	LH25 3.0	1200m	10.5° × 6.4°	2.5-20	384× 288, 12 µm NETD < 15mK	\$2,099
M,	LH19 3.0	900m	13.8° × 8.4°	1.9-15.2	NEIDVISITIK	\$1,899
LYNX	LH15 3.0	750m	11.7°×8.8°	2.2-17.6	320×240, 12 µm NETD < 18mK	\$1,699
<u></u>	LE15 3.0	750m	11.7°×8.8°	2.2-17.6	256 × 192, 12 µm	\$999
	LE10 3.0	500m	18.0°×13.6°	1.4-11.2	NETD < 20mK	\$699
	LC06 S	250m	24.7°×18.7°	1.0- 4.0	160 × 120, 17µm*	\$579

LYNX 3.0 & LYNX S

THERMAL MONOCULAR



FALCON

THERMAL MONOCULAR

Industry Leading Thermal Performance

The Falcon thermal monocular combines an advanced NETD<15 mK sensor with an F0.9 lens, ensuring exceptional imaging even in tough weather. The Falcon boasts a durable design, intuitive controls, and a 5-hour battery. Unique "Image Pro mode" enhances detail, supported by 64GB internal storage.

	1-1-5-70	arr.		\
	To The Table	Micro		
				\ 8
THIRMICI THE MICHIGAN	1	P		

	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
	FQ50L 2.0	2600m	8.8° × 7 °	2.7-21.6		\$4,999
Z	FQ50 2.0	2000111	0.0 ^ /	2.7-21.0	640 × 512, 12 µm NETD < 15mK	\$4,299
ပ္ပ	FQ35 2.0	1800m	12.5°×10°	1.9-15.2	NEIDCISIIK	\$3,699
FALCON	FQ25	1200m	17.5° × 14°	1.4-11.2	640 × 512, 12 µm NETD < 20mK	\$3,199
	FH35	1800m	7.5° × 5.7°	3-24	384 × 288, 12 µm	\$2,599
	FH25	1200m	10.5° × 7.9°	2.2 - 17.6	NETD < 20mK	\$2,299

PANTHER 2.0

THERMAL SCOPE



Compact yet powerful

High thermal sensitivity, perfect detail recognition. Every detail matters when identifying targets. Less than 20 mK NETD helps identify small details of objects from their background easily and clearly even in the hardest weather and low-light conditions.

	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
i	PQ50L 2.0	2600m	8.8° × 7 °	2.6	640 × 512, 12 µm	\$6,299
	PQ35L 2.0	1800m	12.5° × 10°	1.82	NETD < 20mK	\$5,299
	PH50L 2.0	2600m	5.2°×3.9°	4.33	384 × 288, 12 μm NETD < 20mK	\$4,799
	PH35L 2.0	1800m	7.5° × 5.6°	3.03		\$4,299

** Ballistic Calculator features on all LRF Models

THUNDER 2.0

THERMAL SCOPE



Impressive Detail Recognition

With an extremely high thermal sensitivity (NETD<20mK) detector combining a powerful thermal camera of up to 640x512 @12µm @ F1.0, it ensures informative images and an enhanced identification capability even under the slightest temperature differences.

	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
2.0	TQ50 2.0	2600m	8.8° × 7°	2.6 - 20.8	640 × 512, 12 µm	\$5,999
	TQ35 2.0	1800m	12.5° × 10°	1.8 - 14.6	NETD < 20mK 384 × 288, 12 µm NETD < 20mK	\$4,999
낊	TH35P 2.0	1800111	7.5° × 5.7°	3 - 24		\$3,999
THUNDER	TH25P 2.0	1200m	10.5° × 7.9°	2.2 - 17.6		\$3,399
	TE25 2.0	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7°× 5.3°	3.3 - 26 256 × 192, 12µm		\$1,599
	TE19 2.0		9.2°× 6.9°	2.5 - 19.8	NETD < 35mK	\$1,499

THUNDER ZOOM 2.0

THERMAL SCOPE



Dual FOV Technology

With a 2.2x to 34.6x large magnification realized by the 384 detector @20mK, TH50Z 2.0 is the perfect match for both wooded and open field areas. A F0.8 large aperture also strengthens your viewing ability of objects.

	MODEL	RANGE	FOV	MAGNIFICATION	SENSOR	RRP
THUNDER ZOOM 2.0	TQ60Z 2.0	1800m/ 3000m	12.5° × 10°/ 7.3° × 5.9°	1.8-14.6/ 3.1 - 25	640 × 512, 12 μm NETD < 20mK	\$6,999
	TH50Z 2.0	1200m/ 2600m	10.5° × 7.9°/ 5.3° × 4°	2.2 - 17.4 / 4.3 - 34.6	384 × 288, 12 µm NETD < 20mK	\$4,999

THUNDER 3.0

THERMAL CLIP-ON



*Fixed at base magnification in clip-on mode

Clip-On Versatility

These thermal monoculars boast high-resolution detectors @ 640×512 , 1920×1080 OLED displays, and NETD < 15 mK sensitivity, offering detection ranges up to 2600 m. With a 6-hour battery life and 1000 g shock resistance, they deliver top-tier performance in any environment.



THUNDER 3.0	TQ50CL 3.0	2600m	8.8° × 7°	×1*	640 × 512, 12 µm NETD < 15mK	\$5,499
	TQ50C 3.0	2600m	8.8° × 7°	×]*		\$5,199
	TQ35C 3.0	1800m	12.5° × 8°	×1*		\$4,599
	TH35C 3.0	1800m	7.5° × 5.7°	x]*	384 × 288, 12 µm NETD < 15mK	\$3,499

ALPEX

DAY & NIGHT VISION SCOPE

Born for Low Light

The HikMicro Alpex with advanced sensor technology and image processing to deliver a detailed, full colour image throughout the day automatically adjusting to twilight and continuing to display an amazing full colour image up until total darkness.



	MODEL	RANGE	FOV	MAGNIFICATION	CMOS RESOLUTION	RRP
ALPEX 4K	A50EL KIT		8.8° × 5°	3.5 - 28	3840 × 2160	\$1,849
	A50EL	1000m				\$1,499
	A50E KIT					\$1,599
	A50E					\$1,249
ALPEX 4K	A40EL KIT		10.7°×6.1°	3.5 - 20.5	3840 × 2160	\$1,495
	A40EL	800m				\$1,199
	A40E KIT					\$1,195
	A40E					\$899
ALPEX	A50T-S KIT	600m	7.7° × 5.8°	3.5 - 14	1920 × 1080	\$1,199
	A50T-S					\$869

** Alpex Lite Kit HO-M4-IR